

Declaration of Conformity in accordance with Regulation (EU) 2025/40 (PPWR)

1. Manufacturer

AUER GmbH

Am Kroit 25/27

83123 Amerang - Germany

2. Product Identification

Product	Foldable large load carriers
Type	GLT 86/83RB
Outer dimensions L x W x H	80 x 60 x 81 cm
Inner dimensions L x W x H	74 x 54 x 66 cm
Material	Multiple components – see material specifications
Volume	250 liter
Weight	18.71 kg
Purpose	Reusable transport and storage containers

3. Declaration of Conformity

It is hereby declared that the reusable plastic container described above complies with the applicable requirements of Regulation (EU) 2025/40 on packaging and packaging waste (PPWR), insofar as these apply to the product.

The container has been designed, in terms of its construction and the materials used, in such a way that:

- it can be reused multiple times
- a high level of mechanical strength is achieved
- reusability is supported
- the recyclability of the material used is guaranteed
- the amount of material is limited to what is required to fulfil its functional requirements

4. Material specifications

Component	Material	SKU
Base	High-Density Polyethylene (HD-PE)	GKG-86
Front wall base body GLT 86	High-Density Polyethylene (HD-PE)	GLT8603
Plug-in hinge front wall GLT 86	High-Density Polyethylene (HD-PE)	IBC 080607
Spare parts for foldable large load carriers	High-Density Polyethylene (HD-PE)	SR-GLT86
Side wall base body for GLT 86	High-Density Polyethylene (HD-PE)	GLT8602
Plug-in hinge left side wall KLK 86	High-Density Polyethylene (HD-PE)	IBC 080604
Plug-in hinge centre side wall KLK 86	High-Density Polyethylene (HD-PE)	IBC 080605
Plug-in hinge right side wall KLK 86	High-Density Polyethylene (HD-PE)	IBC 080606
Wood adapter for wheel	FOR	HK-GLT86
Countersunk milling pocket head screw, fully threaded AW 20 5.0x30/25	Thermoplastic elastomer (TPE)	SSK 5x30-H
Lock nut M10	Thermoplastic elastomer (TPE)	MU M10-S
Round-head screw 10x90	Thermoplastic elastomer (TPE)	SFR 10x90
Scheiben DIN 125 Durchmesser 8,4 mm	Thermoplastic elastomer (TPE)	SCH M10-S
Locking bolt	High-Density Polyethylene (HD-PE)	KL120012
Locking bolt	High-Density Polyethylene (HD-PE)	KL120013
Recyclability	100% recyclable	
Rating	Recycling Class A	

5. Reuse

The container is designed as a durable, reusable container for storage, transport and internal logistics processes. These characteristics meet the requirements for reusable packaging as set out in the PPWR.

6. Compliance with material requirements

Requirements	Status
Heavy metals (<100 ppm)	fulfilled
REACH (EG Nr. 1907/2006)	fulfilled
PFAS*	Not relevant; not suitable for food contact

*To the best of our knowledge, no per- and polyfluoroalkyl substances (PFAS) are intentionally added to the materials used. The product is not intended for direct contact with food.

7. Minimising the amount of packaging

Requirements	Status
Optimised volume and weight	fulfilled Design optimised for materials and functionality

8. Applicable legal basis

Regulation (EU) 2025/40 on packaging and packaging waste (PPWR)

Regulation (EC) No 1907/2006 (REACH), where applicable

POPs Regulation (EU) 2019/1021

9. Technical documentation

The technical documentation, material certificates, test reports and any available certificates and declarations of conformity are maintained in accordance with the applicable legal requirements and made available to the relevant authorities or authorised bodies upon request.

10. Place and date of the exhibition

Amerang, 08.10.2026

11. Name and position of the signatory

Sergej Andert, Managing Director