


ESD Bench Mat Premium 60 x 90 cm, synthetic rubber, beige, 2 x DK 4 - A1-ESD EP0504008

Item no. EP0504008 **Manufacturer** A1-ESD**Manufacturer no.** EP0504008

Two-layer ESD bench mat made of synthetic rubber in beige, 60 x 90 cm at 2 mm thickness. Dissipative surface with a low-resistance conductive backing and a discharge resistance of 10^6 to 10^9 ohm for safe charge removal at the ESD workstation.

TECHNICAL DATA

Article authenticity	Original product
Colour	Beige
Condition of article	New
Depth	600
Execution	ESD (antistatic)
Height	2
Norm	IEC 61340-5-1
Sales unit	1 Stück
Weight	0.1 kg
Width	900



STANDARDS & COMPLIANCE

ESD safe IEC 61340-5-1

DESCRIPTION

The A1-ESD ProMAT bench mat Premium forms the dissipative work surface at the ESD workstation and reliably protects electronic assemblies against electrostatic discharge. The 60 x 90 cm cut connects to the grounding system through its two DK 4 snap fasteners.

Benefits

- Two-layer build with a dissipative top surface and a conductive low-resistance backing for

controlled charge removal

- Discharge resistance in the 10^6 to 10^9 ohm range as required for dissipative work surfaces
- Heat resistant against solder splashes and resistant to chemicals and oil
- Anti-reflective surface, permanently elastic and abrasion resistant

Technical data

- Dimensions: 60 x 90 cm
- Thickness: 2 mm
- Material: synthetic rubber
- Colour: beige
- Discharge resistance: 10^6 to 10^9 ohm
- Snap fasteners: 2 x DK 4
- Construction: two-layer (dissipative/conductive)

Applications

Suitable for soldering and assembly benches, test and repair stations and EPA areas in electronics manufacturing.

Standards and compliance

Supports building an EPA in line with IEC 61340-5-1.