

Lindström RX 8132. ESD side cutters, RX series, oval jaws, without bevel, 0.1-0.8 mm

Item no. WL15995

Manufacturer Lindström

ESD side cutters, RX series, oval jaws, without bevel, 0.1-0.8 mm

TECHNICAL DATA

Ausführungsklasse **ESD (antistatic)**

Weight **0.1 kg**


STANDARDS & COMPLIANCE

ESD safe

DESCRIPTION

OTHER VERSIONS

item number	Cut form	Jaw shape	Cutting capacity side cutter
WL15991	large bevel	oval	0,2 - 1 mm
WL15993	small bevel	oval	0,1 - 1 mm
WL15995	without bevel	oval	0,1 - 0,8 mm
WL15999	large bevel	oval	0,2 - 1,25 mm
WL16001	small bevel	oval	0,1 - 1,25 mm
WL16003	without bevel	oval	0,1 - 1 mm
WL16019	large bevel	oval	0,3 - 1,6 mm
WL16022	small bevel	oval	0,2 - 1,6 mm
WL16024	without bevel	oval	0,2 - 1,25 mm
WL18746	large bevel	oval	0,4 - 2 mm
WL18747	small bevel	oval	0,3 - 2 mm

item number	Cut form	Jaw shape	Cutting capacity side cutter
WL18748	without bevel	oval	0,3 - 1,6 mm
WL16005	large bevel	pointed	0,2 - 1,25 mm
WL16007	small bevel	pointed	0,1 - 1,25 mm
WL16009	without bevel	pointed	0,1 - 1 mm
WL16011	large bevel	sharpened to a point	0,2 - 1 mm
WL16013	small bevel	sharpened to a point	0,1 - 1 mm
WL16015	without bevel	sharpened to a point	0,1 - 0,8 mm
WL52716	without bevel	pointed	0,1 - 0,8 mm
WL70874	with bevel	pointed	0,1 - 0,8 mm
WL70875	small bevel	pointed	0,1 - 0,8 mm
WL70876	with bevel	pointed	0,3 - 1,25 mm
WL70877	small bevel	pointed	0,2 - 1,25 mm
WL70878	with bevel	pointed	0,4 - 1,5 mm
WL70879	small bevel	pointed	0,3 - 1,5 mm
WL70880	without bevel	pointed	0,3 - 1,25 mm

Made of high-performance ball bearing steel, burnished. Cutting and jaws computer-ground, thus highest precision and constant quality. Induction hardening of the cutting edges to 63-65 HRC. Handles of 2 components, with opening spring. cutting capacity: copper wire

Side cutters with oval head, e.g. for work on cable harnesses and for assembly work on printed circuit boards.

- Cutting capacity copper D = 0.1-0.8 mm

PRODUCT DETAILS

item number	WL15995
model	RX 8132
manufacturer	LINDSTRÖM
manufacturer item number	RX 8132
dimensions (LxWxH)	133.5 mm x 155 mm x 65 mm
order unit	piece
product series	RX Series
VDE	no
Cut form	without bevel
jaw form	oval
Cutting capacity side cutter	0,1 - 0,8 mm

ESD safe	yes
Jaw shape	oval
head width	8 mm
tool length	133.5 mm
type of side cutter	side cutter
length of jaws	8.5 mm