

Knipex 77 42 130. Electronics side cutter, pointed, without facet, 130 mm

Item no. WL17963 **Manufacturer** Knipex

Manufacturer no. 77 42 130

Electronics side cutter, pointed, without facet, 130 mm

TECHNICAL DATA

Article authenticity	Original product
Condition of article	New
Weight	0.1 kg



STANDARDS & COMPLIANCE

ISO 9654

DESCRIPTION

For fine cutting work, e.g. in electronics and precision mechanics Stress-optimised design for a more direct working feel. Stable, push-through and backlash-free joint. Low-friction double spring for smooth and even opening. The polish or mirror polish in combination with a fine oil film provides good rust protection - no disturbances in the circuit due to flaking chrome parts. Cutting edges additionally laser-hardened, cutting edge hardness at least 60 HRC. Slim sheaths raised to the head of the pliers provide safe and comfortable guidance, even between thumb and forefinger. pointed head without facet. Cutting edge hardness approx. 57 HRC. - Shape: 4 - Cutting values medium hard wire (diameter): Ø 1,3mm - Cutting values soft wire (diameter): Ø 0,3 - 1,6mm - Jaw length (B): 18mm - Jaw thickness (at joint) (D): 9,5mm - Head width (A): 15mm

- For fine cutting work, e.g. in electronics and precision mechanics
- Load-optimised design for a more direct working feel
- Stable, through-hole and backlash-free joint
- Low-friction double spring for smooth and even opening
- The polish or mirror polish in combination with a fine oil film provides good rust protection - no disturbances in the circuit due to flaking chrome parts
- Cutting edges additionally laser-hardened, cutting edge hardness at least 60 HRC
- slim sheaths raised to the head of the pliers offer safe and comfortable guidance even between thumb and forefinger

Product details

item number	WL17963
model	77 42 130
manufacturer	KNIPEX
manufacturer item number	77 42 130
dimensions (LxWxH)	140 mm x 61 mm x 18 mm
dimensions with packaging (LxWxH)	213 mm x 75 mm x 49 mm
Packaging volume	0.799 dm ³
order unit	piece
type of packaging	single pack
standards	DIN ISO 9654
RoHS conform	no
ESD safe	no
VDE	no
Cut form	without bevel
tool length	130 mm
type of side cutter	side cutter
type of handle	with multi-component handles
cutting value wire diameter medium	1.3 mm
cutting value wire diameter soft	1.6 mm