

Knipex 03 06 180. Combination pliers, chrome-plated, insulated 180 mm

Item no. WL33535 **Manufacturer** Knipex
Manufacturer no. 03 06 180

Combination pliers, chrome-plated, insulated 180 mm

TECHNICAL DATA

Article authenticity	Original product
Condition of article	New
Weight	0.1 kg



STANDARDS & COMPLIANCE

EN 60900 DIN ISO 5746 IEC 60900

DESCRIPTION

Other versions

item number	tether attachment point	tool length
WL33535	nein	180 mm
WL61291	nein	160 mm
WL61292	ja	180 mm
WL61293	nein	200 mm

With gripping zones for flat and round material for versatile use. With cutting edges for soft and hard wire. Long cutting edges for thicker wire. Cutting edges additionally induction hardened, cutting edge hardness approx. 60 HRC. - Cutting values medium hard wire (diameter): Ø 3.4mm - Cutting values hard wire (diameter): Ø 2.2mm - Cutting value Cu-cable, stranded: Ø 12.0mm - Cutting value Cu-cable, stranded: 16.0mm² - VDE-tested: Yes

- With gripping zones for flat and round material for versatile use
- With cutting edges for soft and hard wire
- Long cutting edges for thicker cables
- Cutting edges additionally induction hardened, cutting edge hardness approx. 60 HRC

Product details

item number	WL33535
model	03 06 180
manufacturer	KNIPEX
manufacturer item number	03 06 180
dimensions (LxWxH)	190 mm x 55 mm x 20 mm
dimensions with packaging (LxWxH)	191 mm x 65 mm x 30 mm
Packaging volume	0.371 dm ³
order unit	piece
type of packaging	single pack
standards	DIN EN 60900, DIN ISO 5746 IEC 60900
RoHS conform	no
surface	chrome-plated
ESD safe	no
tether attachment point	nein
VDE	no
tool length	180 mm
type of handle	Insulated with multi-component sleeves, VDE-tested
Cutting value copper cable, multistranded	16 mm ²
Cutting value copper cable, multistranded (diameter)	12 mm
cutting value wire diameter hard	2.2 mm
cutting value wire diameter medium	3.4 mm
type of pliers	combination pliers