

Lindström 8167L. Precision side cutters ESD, L, Flush

Item no. WL70872

Manufacturer Lindström

Precision side cutters ESD, L, Flush

TECHNICAL DATA

Ausführungsklasse **ESD (antistatic)**

Weight **0.1 kg**



STANDARDS & COMPLIANCE

ESD safe

DESCRIPTION

OTHER VERSIONS

item number	Cutting edge design	Jaw shape	Cutting capacity side cutter
WL15992	with fine bevel	oval	0,1 - 1 mm
WL15994	without bevel	oval	0,1 - 0,8 mm
WL15990	with bevel	oval	0,2 - 1 mm
WL16002	without bevel	oval	0,1 - 1 mm
WL16000	with fine bevel	oval	0,1 - 1,25 mm
WL15997	with bevel	oval	0,2 - 1,25 mm
WL20702	with cutting edge and bevel	oval	0,5 mm
WL16020	with fine bevel	oval	0,2 - 1,6 mm
WL16023	without bevel	oval	0,1 - 1,25 mm
WL16018	with bevel	oval	0,3 - 1,6 mm

esd.equipment

Keldersstr. 15
42697 Solingen, Deutschland
VAT ID: DE269659389

Phone: +49 212 38340680
shop@esd-equipment.com

esd.equipment

Page 1/3

item number	Cutting edge design	Jaw shape	Cutting capacity side cutter
WL16036	without bevel	oval	0,3 - 1,6 mm
WL16034	with fine bevel	oval	0,3 - 2 mm
WL16032	with bevel	oval	0,4 - 2 mm
WL16008	without bevel	pointed	0,1 - 1 mm
WL16006	with fine bevel	pointed	0,2 - 1,25 mm
WL16004	with bevel	pointed	0,2 - 1,25 mm
WL20703	without bevel	pointed	0,2 - 1,25 mm
WL16027	with fine bevel	pointed	0,2 - 1,6 mm
WL16025	with bevel	pointed	0,3 - 1,6 mm
WL16041	without bevel	pointed	0,3 - 1,6 mm
WL16040	with fine bevel	pointed	0,3 - 2 mm
WL16037	with bevel	pointed	0,4 - 2 mm
WL16014	without bevel	sharpened to a point	0,1 - 0,8 mm
WL16012	with fine bevel	sharpened to a point	0,1 - 1 mm
WL16010	with bevel	sharpened to a point	0,2 - 1 mm
WL16031	without bevel	sharpened to a point	0,2 - 1 mm
WL16030	with fine bevel	sharpened to a point	0,2 - 1,25 mm
WL20704	with bevel	sharpened to a point	0,3 - 1,25 mm
WL16016	with fine bevel	pointed	0,1 - 0,6 mm
WL70868	with bevel	pointed	0,1 - 0,8 mm
WL70869	with fine bevel	pointed	0,1 - 0,8 mm
WL70870	without bevel	pointed	0,1 - 0,5 mm
WL70871	with bevel	pointed	0,4 - 1,5 mm
WL70872	with fine bevel	pointed	0,3 - 1,5 mm
WL70873	without bevel	pointed	0,3 - 1,25 mm

- Precision side cutters with pointed, flattened head, 80 series
- ESD-safe handles made of synthetic material with opening spring
- Cutting forms: Micro-bevel (with bevel), flush (small bevel) & ultra-flush (without bevel).
- Cutting capacity specification refers to copper
- Suitable for cutting copper wires
- Material: high performance steel alloy
- Phosphated
- Precision ground cutting edges for extra long life and a clean cut
- Induction hardened cutting edges with a high degree of hardness (63-65 HRC)
- Friction-reducing screw connection for smooth cuts without overlapping of the legs
- Ideal for working in hard-to-reach places or for finishing work

PRODUCT DETAILS

item number	WL70872
manufacturer	LINDSTRÖM
manufacturer item number	8167L
dimensions (LxWxH)	270 mm x 180 mm x 90 mm
order unit	piece
ESD safe	yes
Cutting edge design	with fine bevel
Cutting capacity side cutter	0,3 - 1,5 mm
Jaw shape	pointed
tool length	125 mm
type of side cutter	side cutter