



# Strong problem solvers for craft and industry! Made in Europe.

# Cordless long neck angle grinder LHW/A



For working on steel, non-ferrous metal, glass, ceramics, wood and plastic. For cutting, roughing and grinding.

With variable electronic speed control for high torque, even in the lower speed range. A corundum grinding disc (grit 60), a fan sander (grit 100) and a reinforced cutting disc are included. Safely stored in an attractive plastic case. Set includes LHW/A, lithium-ion battery Li/A2 (10.8V) and rapid battery charger LG/A.

The LHW/A is top-quality and his performance is comparable to our mains-powered counterparts. For outdoor jobs or if an extension lead needs to be used, this tool is very useful.

#### Technical data:

10.8V. 5,000 - 16,000rpm. Discs Ø 50mm with 10mm bore. Length 320mm. Weight approx. 800g (including battery).

#### NO 29 815







The LHW/A comes safely packed in a practical, attractive and super-sturdy plastic case made from high-quality PP. A product label on the side of the case details its contents.

1

# Cordless long neck angle grinder LHW/A, available individually

As described above, also including the specified accessories. But without battery and without rapid charger. Packed in a cardboard box.

#### NO 29 817





- High quality 10.8V lithium-ion battery with 2.6Ah for a performance comparable to the mains-powered counterpart.
- One battery charge allows for at least 30 minutes of use even at maximum power. No other cordless tool lasts longer in this class!
- Gear head of die-cast aluminium. Main housing of glass-fibre reinforced POLYAMIDE with soft component in grip area.
- With continuously variable speed control and special balanced DC motor: powerful, quiet and durable.



#### Practical:

The flat end cap of the battery enables the tools to stand upright as well.

# The MICROMOT lithium-ion battery system: One battery and one rapid charger only for now already six professional tools:



Six power tools - one system!


#### Rapid battery charger LG/A

Charges the PROXXON lithium-ion battery Li/A2 in one hour. With integrated temperature control. LED signal light: Yellow = charging, Green = charged.

#### Technical data:

Input 100 – 240V, 50/60Hz. Output 12.6V, 2A. Weight approx. 340g.

# NO 29 890



For long and durable powerful operation of our MICROMOT cordless tools. With integrated temperature control for safe operation.

#### Technical data:

Voltage 10.8V. Capacity 2.6Ah. Length 85mm. Weight 180g.

#### NO 29 896





# Accessories for the cordless long neck angle grinder LHW/A

#### Corundum grinding disc for LHW/A

Used for de-burring, grinding, sharpening and derusting steel and non-ferrous metals. Ø 50mm.

**NO 28 585** 60 grit



# Silicon carbide grinding disc for LHW/A

Used on hard materials such as glass, stone, ceramics and even hardened steel. Ø 50mm.

**NO 28 587** 60 grit



#### Corundum fan sander for LHW/A

For grinding tempered cast iron, cast iron, stainless steel, non-ferrous metals, wood and plastic. Low wear-resistant. Ø 50mm.

**NO 28 590** 100 grit



#### Corundum bound cutting disc for LHW/A

With woven reinforcement, 50 x 1 x 10mm. For cutting steel, non-ferrous metals, plastic and wood. Ø 50mm.

**NO 28 155** 5 pieces



#### Backing disc for LHW/A

Self-adhesive type, for use with corundum bound sanding discs and sanding fleece. Ø 50mm.

**NO 28 548** 1 piece



# Corundum sanding disc for LHW/A

Self-adhesive type, used on flat and convex surfaces. Ø 50 mm.

NO 28 549 80 grit 12 pieces NO 28 550 150 grit 12 pieces



# Sanding fleece for LHW/A

Self-adhesive type, used for cleaning, matting and sanding of steel, stainless steel and non-ferrous metals. Also used for paint removal. Ø 50 mm.



**NO 28 554** medium 5 pieces **NO 28 555** fine 5 pieces

#### Rasp plate with metal burrs made from wolfram carbide for LHW/A

For model-making, cleaning and smoothing of wood, plastics and glass-fibre reinforced objects. No expenditure of effort is needed, easy and precise handling. Not suitable for metal processing.

NO 29 050



# PROXXON - LHW/A

